

Revised Edition No.:

Date:

23/04/2016

Supersedes: 23/04/2016

## 1) Identification of the Substance / Preparation & of the Company / Undertaking

Trade Name EPIRAN -06 Identification of the Product

Liquid Type of Product Resin Epoxy Industrial Use

Company Identification

Factory Address: Site 4, Pet Zone, Bandar Imam, Khouzestan, IRAN.

E-mail: info@kzpc.ir

Tel Info .Center Site: 06152170100-18

Fax No Site: 06152170090

### **Composition / Information on Ingredients**

Components This Product is Hazardous

Substance Name Contents UN No. Cas No. EC No. Index No Classification

Reaction Product: 100% Bisphenol –A- (epichlorhydrin) 3082 25068-38-6 500-033-5 603-074-00-8 Xi · R36/38 Epoxy Resin (number average molecular weight <= 700)

R: 43 N: R51-53

**Hazards Identification** 

Risk Phrases Irritating to eyes and skin.

May cause sensitization by skin contact.

**Environmental Hazard** : Toxic to aquatic organisms, may cause long – term

adverse effect; in the aquatic environment.

Symptoms relating to use

- Inhalation Inhalation unlikely.

- Skin Contact : Repeated exposure may cause sensitization due to an

Allergic reaction of the skin, redness, pain.

- Eye Contact : Redness, Pain, Tears, Blurred Vision.

Not expected to present a significant ingestion hazard - Ingestion

under anticipated conditions of normal use.



Revised Edition No.: 2

Date:

23/04/2016

Supersedes : 23/04/2016

#### 4) First Aid Measures

- Inhalation : Assure fresh air breathing.

- Skin Contact : Remove affected clothing and wash all exposed skin

area with mild soap and water, followed by warm

water rinse.

- Eye Contact : Rinse immediately with plenty of water. Obtain

medical attention if pain, blinking or redness persists.

- Ingestion : If swallowed, seek medical advice immediately and

show this container or label.

## 5) Fire – Fighting Measures

Flammable Class : The product is not flammable.

Hazardous Combustion Products : Carbon monoxide, Carbon dioxide.
Surrounding Fires : Use water spray or fog for cooling exposed

containers.

Protection against Fire : Do not enter fire area without proper protective

equipment, including respiratory protection.

Special Procedures : Avoid (reject) fire – fighting water to enter

environment, exercise caution when fighting any

chemical fire.

### 6) Accidental Release Measures

Personal Precautions : Spill should be handled by trained cleaning personnel

property equipped with respiratory and eye

protection.

General Precautions : Spill area may be slippery.

Environmental Precautions : Prevent entry to sewers and public waters. May

contaminate water supplies. Notify authorities if

product enters sewers or public waters.

Clean up methods : Clean up any spills as soon as possible, using an

absorbent material to collect it.

Use appropriate container to avoid environmental

contamination.



Revised Edition No.: 2

Date:

23/04/2016

Supersedes : 23/04/2016

### 7) Handling and Storage

General : Avoid all unnecessary exposure.

Storage : Store in dry, cool, well-ventilated area. Keep

container closed when not in use.

Handling : Handle in accordance with good industrial hygiene

and safety procedures. Ensure prompt removal from eyes, skin and clothing. Wash hands and other exposed areas with mild soap and water before eat,

drink or smoke and when leaving work.

# 8) Exposure Controls / Personal Protection

Personal Protection : Reserved to industrial installations.

Respiratory protection
 Hand protection
 In case of repeated or prolonged contact wear gloves.

- Skin protection : Protective clothing.

- Eye protection : Goggles.

- Ingestion : When using, do not eat, drink or smoke.

- Others :

### 9) Physical and Chemical Properties

Physical state at 20 °C : Liquid.

Colour : Colourless to light yellow.

Odour : Light. Boiling Point (°C) : > 200

Density :  $1.16 - 1.17 (20^{\circ}C)$ 

Solubility in water : Insoluble

Solubility : Completely soluble in ketones, esters, alcohols and

aromatic hydrocarbons.

Flash point (°C) : > 200Auto – ignition temperature (°C) : > 500

Flammability – LFL : Not determined : Not determined : Not determined

Viscosity : Max. 15000 mpa.s (25°C)



Revised Edition No.: 2

Date:

23/04/2016

Supersedes : 23/04/2016

# 10) Stability and Reactivity

Hazardous Decomposition Products : None under normal conditions. Hazardous Reactions : None under normal conditions.

Hazardous Polymerization : Will not occur.

Hazardous Properties : None under normal conditions.

Materials to avoid : Amines, Acids, Bases, Oxidizing agent.

## 11) Toxicological Information

Rat oral LD50 [mg/kg] : > 10000Rabbit dermal LD50 [mg/kg] : > 2000

### 12) Ecological Information

Ecological Effects Information : Toxic to aquatic organisms, may cause; long – term

adverse effects in the aquatic environment. Prevent its penetration in to sewage systems water reservoirs

ground water and/or soil.

### 13) Disposal Considerations

General : Avoid release to the environment.

Dispose in a safe manner in accordance with

local/national regulations.

# 14) Transport Information

General Information : EPIRAN -06 creates no hazard for the transport and it

is not covered by the RID/ADR regulations. This product can be transported by any means of transport

in original and tightly closed unit containers.



Revised Edition No.: 2

Date:

23/04/2016

Supersedes : 23/04/2016

### 15) Regulatory Information

Symbol(s) : Xi: Irritant

N: Dangerous for the environment

R Phrase(s) : R36/38: Irritating to eyes and skin.

R43: May cause sensitization by skin contact. R51/53: Toxic to aquatic organisms, may cause

long-term adverse effects in the aquatic

environment.

S26: Incase of contact with eyes, rinse

immediately with plenty of water and seek

medical advice.

S37: Wear suitable gloves.

S61: Avoid release to the environment. Refer to

special instructions/Safety data sheets.

### 16) Disposal Considerations

Recommended uses and restrictions : Specifications and technical information on the

products may be obtained by your dealer.

The contents and format of this SDS are in accordance with EEC Commission Directive 2001/58EC.

#### DISCLAIMER OF LIABILITY

The information in this SDS was obtained from sources which we believe are reliable. However the information is provided without any warranty, express or implied, regarding it's beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handlings, storage, use or disposal of the product. This MSDS was prepared and is to be used only for this product. If the product is used as a component in another product, this MSDS information may not be applicable.